

## SADC Core HIV and AIDS Indicators

The tables below contain core HIV and AIDS indicators and HIV/TB collaborative indicators that were agreed on by experts from Member States and approved through the SADC structures. These indicators together with national estimates and projections form the basis of annual national HIV and AIDS Epidemic Reports. These indicators will be revised after the post-2015 priorities for HIV and AIDS have been agreed upon.

**Table 1.1: SADC HIV and AIDS indicators**

1. HIV prevention and social mobilisation		
Indicator	Previous Value, Year and Source	Current Value, Year and Source
<i>Percentage of young people aged 15-24 years who are HIV infected</i>		
<i>Percentage of men and women aged 15-49 years who had sex with more than one partner in the last 12 months</i>		
<i>Proportion of young people aged 10-24 years who cite a member of the family as a source of HIV and AIDS related information</i>		
<i>Percentage of schools that provided life skills-based HIV education in the last academic year</i>		
<i>Percentage of women and men aged 15-24 years who correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions about HIV transmission</i>		
<i>Percentage of HIV-positive pregnant women who received antiretrovirals to reduce the risk of mother-to-child transmission</i>		

<i>Percentage of donated blood units screened for HIV in a quality-assured manner</i>		
<i>Number of female and male condoms distributed</i>		
<i>Percentage of men and women aged 15-49 years who used a condom the last time they had sex with a casual partner with in the last 12 months</i>		
<i>Percentage of infants born to HIV-infected mothers who are infected</i>		

<b>2. Improving treatment, care and access to counselling and testing services and support</b>		
<b>Indicator</b>	<b>Previous Value, Year and Source</b>	<b>Current Value, Year and Source</b>
<i>Percentage of health care facilities providing ART</i>		
<i>Percentage of health care facilities with referrals for HIV and AIDS care and support services</i>		
<i>Percentage of orphaned and vulnerable children aged 0-17 years whose households received free basic external support in caring for the child</i>		
<i>Current school attendance among orphans and non-orphans aged 10-14 years</i>		
<i>Percentage of children aged less than 18 years who are orphans (single, double orphans)</i>		
<i>Percentage of large enterprises/companies which have HIV and AIDS workplace policies and programmes</i>		
<i>Percentage of chronically ill people that are receiving home-based care from trained care providers</i>		
<i>Percentage who undertook an HIV test in the last 12 months and who know the results</i>		
<i>Percentage of facilities providing HIV testing services</i>		
<i>Percentage of population expressing accepting attitudes towards PLWHA</i>		
<i>Percentage of people with advanced HIV infections receiving ART</i>		

<i>Percentage of districts or local administration units with at least one health facility providing ART</i>		
--	--	--

<b>3. Resource Mobilisation</b>		
<b>Indicators</b>	<b>Previous Value, Year and Source</b>	<b>Current Value, Year and Source</b>
<i>Percentage of the national budget committed to the health sector</i>		
<i>Amounts of public funds for research and development of a preventive HIV vaccine and microbicide</i>		

**Table 1.2: Additional core set of indicators for HIV surveillance**

<b>Indicator</b>	<b>Previous Value, Year and Source</b>	<b>Current Value, Year and Source</b>
<i>Percentage still alive after initiating ART (1<sup>st</sup> &amp; 2<sup>nd</sup> line) after 12 months, 24 months, 36 months etc.</i>		
<i>Percentage of people with advanced HIV infection receiving ART (disaggregated by age; 0-14, 15+ years)</i>		
<i>Percentage of most-at-risk populations (IDU, MSM, CSW)** who received an HIV test in the last 12 months who know the result</i>		
<i>Percentage of most-at-risk populations (IDU, MSM, CSW) who are HIV-infected</i>		
<i>Number of males circumcised</i>		
<i>Percentage of males circumcised (disaggregated by age)</i>		

\* Where possible all indicators must be disaggregated by age, and sex.

\*\* IDU=injecting drug users; MSM=men who have sex with men; CSW=commercial sex workers

**Table 1.3: Core set of collaborative indicators for HIV/TB surveillance**

<b>Indicator</b>	<b>Previous Value, Year and Source</b>	<b>Current Value, Year and Source</b>
<i>Percentage of HIV-positive people who are screened for TB on their first visit to an HIV clinic</i>		
<i>Percentage of HIV-positive TB patients who are on ART</i>		
<i>Percentage of HIV-positive people who are TB-positive (co-infection rate)</i>		

NB: All indicators must be disaggregated by age and sex.